

Safe Sex: The True Principal Health?

Rahul Hajare (IASR)*

Indian Council of Medical Research, New Delhi National AIDS Research Institute India

***Corresponding Author:** Rahul Hajare, Indian Council of Medical Research, New Delhi. National AIDS Research Institute India

Received: March 12, 2018; **Published:** March 16, 2018

Abstract

When thousands of people die due to terrorist attack, it is rightly considered to be a tragedy with global implications. But when thousands of death occurs each day due to unnecessary diseases, nobody even thinks about it! Diseases that could have been prevented by supplementing with minor changes in lifestyle to bring about years of vibrant health. Preventive health care for married couple never be ignored. Scientific research has been to consider the practice of and extent of safe sex that decontaminates the built environment and thus reduces the exposure of STD.

What is "safe"? People tend to perceive "safeness" particularly in the built environment, and especially in their homes, society, from a visual perspective. Safe sex practices became more prominent in the late 1980s as a result of the AIDS epidemic. Promoting safer sex champion is now one of the aims of sex education. It is regarded as a harm reduction strategy aimed at reducing risks. Sex attraction is not accepted center pillars of love. Preventive health screening for married couple is simple and non-invasive. Over the years the causes of mortality and morbidity have changed from infective diseases like HIV, tuberculosis to chronic diseases. These diseases can be easily prevented if one understands the risk factors. If the risk factors are managed these diseases can be easily controlled. These include tests for general wellbeing and specific tests for STD.

A complete blood count, along with immunity function profile and kidney function profile, is required to know how the various systems in the body work. Between the ages of 21 and 29 are the ages of aggression of sex. Between the ages of 30 and 50 is the post sex aggression period. The other most common sex education is difficult to identify due to hesitation. It is difficult to control due to very rare population size of people living with genital warts and they are not willingly enrolled to this study.

Volume 1 Issue 2 March 2018

© All Copy Rights are Reserved by Rahul Hajare.

Statement of Purpose

Safe sex practices became more prominent in the 21st century as a result of the zero HIV new infection. Sex has much definition, safe sex accepted as a center pillar of love in married couple. Sex is not just penetrative vaginal sex. It can also include oral sex, anal sex and masturbation. Environment may even define sex as any sexual activity. When it comes to sex it is important that you make sure that the sex you have is always done safely. The risk reduction of safe sex is not absolute; for example, the reduced risk to the receptive partner of acquiring HIV from HIV-seropositive partners not wearing condoms compared to when they wear them is estimated to be about a four to fivefold. There has been much recent talk about how to target the rising of unsafe sex across the world, one of the biggest threats to global health today. While there is no doubting the size of the problem facing scientists, healthcare professionals and physicians, there

Citation: Rahul Hajare. "Safe Sex: The True Principal Health?" *Medical Research and Clinical Case Reports* 1.2 (2018): 58-60.

are innovative ways we can target unsafe sex in the short term, which are discussed in three articles published in *Essays in Biochemistry*. False directs immunity born and accepted due to unsafe sex. There are different terminologies of sex; safe sex has one in a week with contraceptive. It is also a study of variation in differences dots of contraceptive and their application while having a sex. Safe sex it a sum of skin physiology can be reaches to build immunity across an environment. India is second country in the world, who has addicted for porn and follower has increased day by day.

The best definition for safer sex is the statistic one in week – a reminder that beyond a point, one cannot control or ever completely prepare for the future. Believes unsafe sex afflicts those who have a sinful past, people cannot compensate for the sin against the unseen. But when you see the background, it will be found it was divine justice, nothing else. Sexual transmitted diseases mean no safe sex.

After a year there has been pooling of common warts on face of men it is a sign of unsafe sex with age variation in sex partner. Unscientific opinion that illness is only two plus human to fall back on fantasy, or religion, when there are no rational explanation for random misfortunes. Sex-related aggression has been accepted up to certain age and dignity also cultural draws has playing important role to educate about safe sex. A curved penis may be a sign of unsafe sex which has been warning early cause of cancer and simultaneously efflux of genital warts, some other types of common warts has polling skin. Sex partner having age variation found the immunity converted into autoimmune system and that a end point of result of sexually transmitted disease. Safe sex with contraceptive can be avoiding visible warts using especially married couple.

Using a contraceptive sex aggression towards other observer may be reduce. Today's market is full of various contraceptive, dotted express male contraceptive can reduce the chances of allergies reaction and sexually transfer diseases? Safe sex methodology will be changing after awareness about sex education. The leaching of warts is an example of autoimmunity which can be lead to common warts discharge among married couple and unmarried male female may be a critical determinant of immune dysfunction skin physiology.

Safe sex and displacement of melanin secretion has quite close linkage between them. How melanin secrete, researchers have reported that non-teaching men staffs with these experiences are more difficult to treat; many do not access treatment and those who do, frequently do not stay because of difficulty maintaining helping relationships. Sex aggression is directly proportional to physical maturity if maturity has beyond age unsafe sex desired simultaneously increases. Unsafe sex may increases proliferation rest of the capacity and body behaviour convert dysfunctioning of skin physiology. Aggression up to some level has really observed and safe sex can be handling with knowledge and curiosity and it is a source of evolution of micro tissues across the body function, soft tissue body mechanism is made by and restored by safe sex those having once a week.

Conclusion

Safe sex has sexual activity engaged in by people who have taken precautions to protect themselves against sexually transmitted infections (STIs) such as HIV. It has also referred to as safer sex or protected sex, while unsafe or unprotected sex has sexual activity engaged in without precautions. Sex aggression of human begins before 21. It is strongly recommended that women with an average risk of STD should undergo regular unsafe sex starting at the age 30 and shrink the vocal cord. Those who are between the age of 30 to 40 should be screened annually by sexologist. Men of 45 and older can have biennial screening or can continue screening annually. In addition to these, tests for skin physiology and Geriatric Dermatology are important. A clinical dermatology and a Mantoux skin test also needs to be done at least once in two years. These men women perspective has not been previously studied, particularly in this area of safe sex awareness. The purpose of this study is to describe the experience of seeking help for alcohol dependency by men women with and a history of chain alcohol dependency with other men the context in which it occurs.

Acknowledgment

This research work is in completed under the supervision and guidance Renowned Laboratory Scientist, Respected Dr. Ramesh S. Paranjape Retired Director & Scientist 'G' National AIDS Research Institute, India. I express my sincere gratitude towards Respected Sir for motivation and being great knowledge source for this work.

References

1. Barth R., *et al.* "Preventing adolescent pregnancy with social and cognitive skills". *Journal of Adolescent Research* 7.2 (1992): 208-232.
2. Billy J and Udry R. "Patterns of adolescent friendship and effects on sexual behaviour". *Social Psychology Quarterly* 48.1 (1985): 27-41.
3. Brown L., *et al.* "AIDS education: the Rhode Island experience". *Health Education Quarterly* 18.2 (1991): 195-206.

Submit your next manuscript to Scientia Ricerca Open Access and benefit from:

- Prompt and fair double blinded peer review from experts
- Fast and efficient online submission
- Timely updates about your manuscript status
- Sharing Option: Social Networking Enabled
- Open access: articles available free online
- Global attainment for your research

Submit your manuscript at:

<https://scientiaricerca.com/submit-manuscript.php>