

Population Growth and Environmental and Food Sustainability: time to Reconsider Our Paths.

Ana Maria Costa*

Embrapa Cerrados, Cx.Postal: 08223, Brasília, DF,- 73310-970, Brazil

***Corresponding Author:** Ana Maria Costa, Embrapa Cerrados, Cx.Postal: 08223, Brasília, DF,- 73310-970, Brazil.

Received: February 23, 2019; **Published:** February 28, 2019

Volume 3 Issue 4 February 2019

© All Copy Rights are Reserved by Ana Maria Costa.

According to estimates of the United Nations Food and Agriculture Organization (FAO), world population will increase from the current seven billion to nine billion by the year 2050, equivalent to a 30% increase. According to experts, in order to meet the increased demand for food, without a significant increase in prices and scarcity, world production must increase to around 70% (RAMOS, 2017, ONU, 2017; FAO, 2019a)

Estimates of food production show that food waste is in the range of 1.3 billion tons per year, approximately 33% of all that is produced annually in the world. Of this percentage, 54% of the losses take place in the cultivation, handling, post-harvest and storage stages. The remaining 46% are lost in the processing, distribution and consumption stages (FAO, 2019b; RAMOS, 2017).

In this scenario, if the world population continues to grow and consumption habits remain the same, there will be a need to occupy areas of natural vegetation for agricultural production. This situation may jeopardize regions rich in biodiversity such as the Brazilian, African and Australian savannas. Only in the Cerrado biome (Brazilian savanna) there are more than 160 thousand different species of plants, animals and fungi, and about 6 thousand types of fruit trees, constituting an important reservoir of genes and environmental services that would be compromised with the expansion of the agricultural frontier (COSTA., *et al.* 2018).

Terrestrial and aquatic biodiversity are fundamental for the planet's sustainability, being responsible for the recycling of nutrients, carbon fixation and the release of oxygen into the atmosphere. Therefore, if we compromise our planet's biodiversity, we will condemn our existence as a species. Several efforts have been made by various countries around the world to minimize the impact of population growth. For example, in Brazil, the Brazilian Agricultural Research Corporation (Embrapa) and partners have been generating technologies aimed at promoting paradigm shifts in agricultural production in order to increase productivity and reduce the environmental impact of production systems. Among actions undertaken, the most important ones are those that pursue production efficiency and technologies for sustainable agricultural production, such as the technology transforms rock powder obtained from mining tailings, biological nitrogen fixation, and those that promote the enrichment of agricultural micro-organisms to improve soil quality, reducing the need for chemical fertilizers and agrochemicals, and increasing water availability, among others (SILVEIRA, 2016; SOUZA., *et al.* 2017; PRADO., *et al.* 2016; MENDES., *et al.* 2015, FERREIRA., *et al.* 2013, DIANESE., *et al.* 2012). As a result, it is already possible to note the substitution of traditional monocultures for more sustainable production systems, which include crop, livestock and forest integration and agroecological/organic production, with production efficiencies equal to or greater than conventional crops (EMBRAPA, 2016).

Citation: Ana Maria Costa. "Population Growth and Environmental and Food Sustainability: time to Reconsider Our Paths." *Nutrition and Food Toxicology* 3.4 (2019): 713-715.

In order to contribute to the reduction of waste, research has also focused on the integral use of food by stimulating the circular economy. In this type of economy, residues obtained from the processing of one product serve as raw material for the generation of other products. Some industrial chains are already organized in this manner, such as, for example, the citrus production chain, where pulp extraction residue is used as a thickening agent (pectin) in the food industry (RAMOS, 2017, COSTA., *et al.* 2018). However, such examples remain exceptions. The involvement of the private sector and consumers for an effective change of attitude regarding reduction of waste is still below desirable, thus indicating the need to strengthen public policies at getting greater commitments of such segments.

It is important considering that, while fundamental, policies aimed at increasing food availability and protecting the environment are only mitigating factors and do not resolve the problems themselves: population growth and uncontrolled consumption habits. Therefore, it is necessary and urgent that we rethink the fundamentals that move the economy along with the demographic issue so that we can guarantee quality of life for next generations.

References

1. COSTA, A.M.; LIMA, H.C.; FALEIRO, F.G. Avances y Perspectiva para Aprovechamiento Integral de Frutos del Maracuyá. In. MORERA, M. P.; COSTA, A. M.; FALEIRO, F. G.; CARLOSAMA, A. R.; CARRANZA, C. Maracuyá: de los recursos genéticos al desarrollo tecnológico. Brasília, DF: ProImpress. C13. (2018): 182-191.
2. DIANESE AC., *et al.* "Uso de *Trichoderma* spp. para o manejo da podridão-do-pé-do-mamoeiro causada por *Phytophthora palmivora* Butler". *Boletim de Pesquisa e Desenvolvimento Embrapa Cerrados* 308 (2012): 1.
3. Embrapa, Adoção de ILPF chega a 11,5 milhões de hectares. Disponível in: <https://www.embrapa.br/busca-de-noticias/-/noticia/17755008/adocao-de-ilpf-chega-a-115-milhoes-de-hectares>. Assecs in 22 February 2019;
4. FAO, 2019a – Food and Agriculture Organization of the United Nations. Disponível in: <http://www.fao.org/search/pt/?cx=018170620143701104933%3Aq82jsfba7w&q=population+growth&cof=FORID%3A9&siteurl=www.fao.org%2Fbrasil%2Fpt%2F&ref=www.google.com%2F&ss=1j1j2> Acess in: 21/02/2019.
5. FAO, 2019b – Food and Agriculture Organization of the United Nations. Disponível in: <http://www.fao.org/search/pt/?cx=018170620143701104933%3Aq82jsfba7w&q=food+waste&cof=FORID%3A9&siteurl=www.fao.org%2Fbrasil%2Fpt%2F&ref=www.google.com%2F&ss=1j1j2> Acess in: 21 February 2019.
6. FERREIRA EPB., *et al.* "Contribuições para melhoria da eficiência da Fixação Biológica de Nitrogênio no feijoeiro comum no Brasil". *Tópicos em Ciência do Solo* 08 (2013): 251-292.
7. ONU - ORGANIZAÇÃO DAS NAÇÕES UNIDAS. World Population Prospects: The 2017 Revision. Disponível in Acess in: 21 February 2019.
8. PRADO RB., *et al.* "Current overview and potential applications of the soil ecosystem services approach in Brazil". *PESQUISA AGROPECUÁRIA BRASILEIRA (ONLINE)* 51 (2016): 1021-1038.
9. RAMOS BCZ. "Desenvolvimento e caracterização química e nutricional de farinhas de cascas e sementes de *Passiflora edulis* Sims e utilização na elaboração de cookies". Dissertação de Mestrado. Faculdade de Ciências da Saúde. Depto. Nutrição, Universidade de Brasília, Brasília, Distrito Federal (2017).
10. SOUZA FNS., *et al.* "Efeitos condicionador e nutricional de um remineralizador de solos obtido de resíduos de mineração". *Agric-environmental Sciences* 3 (2017): 1-14.

Submit your next manuscript to Scientia Ricerca Open Access and benefit from:

- Prompt and fair double blinded peer review from experts
- Fast and efficient online submission
- Timely updates about your manuscript status
- Sharing Option: Social Networking Enabled
- Open access: articles available free online
- Global attainment for your research

Submit your manuscript at:

<https://scientiaricerca.com/submit-manuscript.php>